# SUBJECT INDEX

### Acids

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

### Adjustment

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Mi-chael F. Walter and Erin S. Brooks, IR Sept./Oct. 00,

## Agriculture

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

### Air temperature

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

### Analysis

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

### Anisotropic soils

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-

### Application methods

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

# Approximation methods

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./ Apr. 00, p98-109.

# Aquifers

Influence Zone of Recharging-Dewatering Actions in Un-confined Aquifer, R. Revelli and L. Ridolfi, IR Mar./ Apr. 00, p110-112.

Simple Approximation for Flowing Well Problem, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20.

# Arid lands

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen. IR Jan./Feb. 99, p26-33.

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

## Artesian aquifers

Simple Method for Confined-Aquifer Parameter Estima-tion, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

### ASCE Awards & Prizes

Editorial, J. C. Guitjens, P.E., IR May/June 00, p141.

# **ASCE Committees**

Editorial, J. C. Guitjens, IR July/Aug. 00, p205.

# **ASCE Publications**

Editorial, J. C. Guitjens, P.E., IR May/June 00, p141. Editorial, J. C. Guitjens, IR July/Aug. 00, p205.

Journal Needs More New Referees, John C. Guitjens, IR Mar./Apr. 00, p77.

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.

### Autocorrelation

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

Supercritical Flow in Bend Manhole, Giuseppe Del Giudice, Corrado Gisonni and Willi H. Hager, IR Jan./Feb. 00, p48-56.

### **Border irrigation**

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Con-nell, IR Mar./Apr. 00, p92-97.

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-

Design of Minimum Seepage Loss Canal Sections, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./ Apr. 00, p98-109.

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

# Center-pivot irrigation

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

# Channels, waterways

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Long-Term Evapotranspiration from Coastal Avocado/ Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-

### Coefficients

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

### Combined sewers

Supercritical Flow in Bend Manhole, Giuseppe Del Giud-ice, Corrado Gisonni and Willi H. Hager, IR Jan/Feb. 00, p48-56.

### Cost minimization

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-

### Cracks

Infiltration of Water into Soil with Cracks, V. Novák, J. Simunek and M. Th. van Genuchten, IR Jan/Feb. 00,

### Crop production

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Long-Term Evapotranspiration from Coastal Avocado/ Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-

## Crops

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

### Cross sections

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./ Apr. 00, p98-109.

Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov/Dec. 00, p408-411.

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

# Developing countries

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

## Dewatering

Influence Zone of Recharging-Dewatering Actions in Un-confined Aquifer, R. Revelli and L. Ridolfi, IR Mar./ Apr. 00, p110-112.

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40.

# Dimensional analysis

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

Simple Approximation for Flowing Well Problem, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

# Discharge coefficients

Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

### Diversion structures

Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicola and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Optimization-Based Simulation and Design of Tile Drainage Systems. Amlan Das, IR Nov./Dec. 00, p381-388.

### Drainage

Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G, Mein and Luke D. Con-nell, IR Mar./Apr. 00, p92-97.

Field-Scale Observations of Arsenic and Boron in Soil Ir-rigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-

Simulating Spatially Distributed Water and Salt Balanc-es. L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan/Feb. 00, p14-20.

Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178,

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

### Drawdown

Simple Approximation for Flowing Well Problem, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan/Feb. 00, p65-67.

Simple Method for Confined-Aquifer Parameter Estima-tion, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

### Dynamic programming

Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

### Efficiency

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

### Electrokinetics

Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Lar-son, IR Nov./Dec. 00, p389-397.

Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Lar-son, IR Nov./Dec. 00, p389-397.

Simulating Elevation and Infiltration in Level-Basin Irri-gation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

## Energy dissipation

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

## Environmental factors

Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

Sprinkler Head Maintenance Effects on Water Applica-tion Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

A Priori Identifiability of Unsaturated Soil Parameters, M. S. Ghidaoui and K. S. H. Prasad, IR May/June 00, p163-171

Simple Method for Confined-Aquifer Parameter Estima-tion, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

Theoretical Justification of SCS Method for Runoff Esti-mation, Bofu Yu, IR Nov./Dec. 98, p306-310.

### Evaporation

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

## Evapotranspiration

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Estimation of FAO Blaney-Criddle b Factor by RBF Net-work, Slavisa Trajkovic, Miomir Stankovic and Bran-imir Todorovic, IR July/Aug. 00, p268-270.

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Long-Term Evapotranspiration from Coastal Avocado/ Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapa-ta, IR Jan./Feb. 00, p33-40.

Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Larson, IR Nov./Dec. 00, p389-397.

### Field investigations

Long-Term Evapotranspiration from Coastal Avocado/ Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-

Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

### Finite element method

Influence Zone of Recharging-Dewatering Actions in Un-confined Aquifer, R. Revelli and L. Ridolfi, IR Mar./ Apr. 00, p110-112.

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicol and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

### Flood control

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193,

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00, p127-129.

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00, p127-129.

Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Influence Zone of Recharging-Dewatering Actions in Un-confined Aquifer, R. Revelli and L. Ridolfi, IR Mar./ Apr. 00, p110-112.

Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38,

### Friction factor

Adjusted Average Correction Factors for Sprinkler Laterals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

### Furrow irrigation

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./ Apr. 00, p98-109,

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov/Dec. 00, p355-361.

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov/Dec. 00, p408-411.

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

### Green-Ampt model

Infiltration of Water into Soil with Cracks, V. Novák, J. Simunek and M. Th. van Genuchten, IR Jan./Feb. 00, p41-47.

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/ Aug. 00, p243-249.

## Ground water

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Con-nell, IR Mar./Apr. 00, p92-97.

## Ground-water recharge

Influence Zone of Recharging-Dewatering Actions in Un-confined Aquifer, R. Revelli and L. Ridolfi, IR Mar./ Apr. 00, p110-112.

### Head loss

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar./Apr. 00, p113-118.

### Hydraulic conductivity

Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27,

### Hydraulic design

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov/Dec. 00, p408-411.

### Hydraulic structures

Design of Minimum Seepage Loss Canal Sections, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./ Apr. 00, p98-109.

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicola and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00, p127-129,

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, pl 19-123.

### Hydrologic models

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

# Identification

A Priori Identifiability of Unsaturated Soil Parameters, M. S. Ghidaoui and K. S. H. Prasad, IR May/June 00,

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.

Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Infiltration of Water into Soil with Cracks, V. Novák, J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00,

Simulating Elevation and Infiltration in Level-Basin Irrigation, p78-84. N. Zapata and E. Playán, IR Mar./Apr. 00,

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

Influence Zone of Recharging-Dewatering Actions in Un-confined Aquifer, R. Revelli and L. Ridolfi, IR Mar./ Apr. 00, p110-112,

Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

### International development

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Mi-chael F. Walter and Erin S. Brooks, IR Sept./Oct. 00,

Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.

Infiltration of Water into Soil with Cracks, V. Novák, J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00,

Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.

### Irrigation districts

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

### Irrigation efficiency

Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Mi-chael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313.

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

### Irrigation practices

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Mi-chael F. Walter and Erin S. Brooks, IR Sept./Oct. 00, p304-313

### Irrigation scheduling

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

### Irrigation systems

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-

Hydraulic Performance of Fish Bypass-Pools for Irriga-tion Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

### Irrigation water

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapa-ta, IR Jan./Feb. 00, p33-40.

### Lagrange's equations

Optimal Design of Parabolic-Bottomed Triangle Canals, K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411.

Adjusted Average Correction Factors for Sprinkler La-terals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

### Layered soils

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20.

# Leaching

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

### Location

Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov/Dec. 00, p381-388.

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Design of Minimum Seepage Loss Canal Sections, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, N. K. Tyagi, D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222.

Sprinkler Head Maintenance Effects on Water Applica-tion Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.

### Measuring instruments

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

# Methodology

Simple Method for Confined-Aquifer Parameter Estima-tion, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

# Neural networks

Estimation of FAO Blaney-Criddle b Factor by RBF Network, Slavisa Trajkovic, Miomir Stankovic and Bran-imir Todorovic, IR July/Aug. 00, p268-270.

Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Lar-son, IR Nov./Dec. 00, p389-397.

Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept/Oct. 00, p322-

Optimal Channel Cross Section with Composite Roughness, Amlan Das, JR Jan./Feb. 00, p68-72.

# Numerical analysis

Chebyshev Solution as Aid in Computing GVF by Standard Step Method. Subhasish Dey, IR July/Aug. 00, p271-274.

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug, 00, p250-

### Numerical calculations

Simple Approximation for Flowing Well Problem, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

### Numerical models

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC. R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

## One dimensional flow

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

### Open channels

- Approximating Wetted Perimeter in Power-Law Cross Section, T. S. Strelkoff and A. J. Clemmens, IR Mar./ Apr. 00, p98-109.
- Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.
- Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.
- Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar/Apr. 00, p127-129.

Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

### Optimal design

- Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.
- Optimal Design of Parabolic-Bottomed Triangle Canals. K. Babaeyan-Koopaei, E. M. Valentine and D. C. Swailes, IR Nov/Dec. 00, p408-411.
- Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.
- Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov/Dec. 00, p381-388.

### Optimization

- Design of Minimum Seepage Loss Canal Sections. Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.
- Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.
- Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept/Oct. 00, p336-338.

### Optimization models

Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

Problems of Irrigation in Developing Countries, Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6.

### Outflows

- Adjusted Average Correction Factors for Sprinkler La-terals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.
- Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

### Overland flow

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapa-ta, IR Jan./Feb. 00, p33-40.

### Parameters

- A Priori Identifiability of Unsaturated Soil Parameters, M. S. Ghidaoui and K. S. H. Prasad, IR May/June 00, p163-171.
- Simple Method for Confined-Aquifer Parameter Estima-tion, Sushil K. Singh, IR Nov./Dec. 00, p404-407.

Journal Needs More New Referees, John C. Guitjens, IR Mar./Apr. 00, p77.

### Permeameters

Measurement of Subsurface Unsaturated Hydraulic Con-ductivity, D. F. Holland, M. Yitayew and A. W. War-rick, IR Jan./Feb. 00, p21-27.

### Perturbation

Operational Sensitivity of Irrigation Structures, D. Re-nault, IR May/June 00, p157-162.

Field-Scale Observations of Arsenic and Boron in Soil Ir-rigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

# Pipeline design

Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. I eeds-Harrison, IR Nov./Dec. 00, p375-380.

Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicol and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Optimization-Based Simulation and Design of Tile Drainage Systems, Amlan Das, IR Nov./Dec. 00, p381-388.

### Predictions

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept/Oct. 00, p283-287.

### Pressure distribution

Correction Factors for Center Pivots with End Guns, Arif A. Anwar, IR Mar/Apr. 00, p113-118.

- Adjusted Average Correction Factors for Sprinkler La-terals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.
- Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

### Probability

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

## Probability distribution

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p.343-347.

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

### Rainfall-runoff relationships

Theoretical Justification of SCS Method for Runoff Esti-mation, Bofu Yu, IR Nov./Dec. 98, p306-310.

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Hydraulic Performance of Fish Bypass-Pools for Irrigation Diversion Channels, Athanasios N. Papanicol and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33.

Estimation of FAO Blaney-Criddle b Factor by RBF Net-work, Slavisa Trajkovic, Miomir Stankovic and Bran-imir Todorovic, IR July/Aug. 00, p268-270.

Journal Needs More New Referees, John C. Guitjens, IR Mar./Apr. 00, p77.

Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13.

### Roughness

- Furrow Irrigation Performance under Spatially Varying Conditions, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361.
- Optimal Channel Cross Section with Composite Roughness, Amlan Das, IR Jan./Feb. 00, p68-72.

Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.

Theoretical Justification of SCS Method for Runoff Esti-mation, Bofu Yu, IR Nov./Dec. 98, p306-310.

## Runoff forecasting

Theoretical Justification of SCS Method for Runoff Estimation, Bofu Yu, IR Nov./Dec. 98, p306-310.

Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Con-nell, IR Mar./Apr. 00, p92-97.

- Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.
- Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

- Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Con-nell, IR Mar./Apr. 00, p92-97.
- Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Nitrate Electromigration in Sandy Soil: Closed System Response, Naglaa Eid, Donald Slack and Dennis Lar-son, IR Nov./Dec. 00, p389-397.

## Seasonal variations

- Adjusting Temperature Parameters to Reflect Well-Watered Conditions, B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan./Feb. 99, p26-33,
- Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

- Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.
- Design of Minimum Seepage Loss Canal Sections, Pra bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32.

### Sensitivity analysis

Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

Supercritical Flow in Bend Manhole, Giuseppe Del Giud-ice, Corrado Gisonni and Willi H. Hager, IR Jan/Feb. 00. p48-56.

- Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G. Mein, IR Mar./Apr. 00, p85-91.
- Border Irrigation Field Experiment. II: Salt Transport, Mathew Gilfedder, Russell G. Mein and Luke D. Connell, IR Mar./Apr. 00, p92-97.
- Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.
- Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

### Shape

- Comprehensive Design of Minimum Cost Irrigation Canal Sections, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Sept/Oct. 00, p322-
- Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

# Simulation models

- Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354,
- Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

### Skewed structures

Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swarnee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Field-Scale Observations of Arsenic and Boron in Soil Ir-rigated with Drainwater, B. R. Faulkner and J. C. Guitjens, IR May/June 00, p186-189.

Plant Water Use and Crop Curves for Hybrid Poplars. David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214,

## Soil water movement

Infiltration of Water into Soil with Cracks, V. Novák, J. Šimunek and M. Th. van Genuchten, IR Jan./Feb. 00,

### Soils, unsaturated

A Priori Identifiability of Unsaturated Soil Parameters, M. S. Ghidaoui and K. S. H. Prasad, IR May/June 00,

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Finite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

## Spatial data

Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

## Spatial distribution

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

Factor G for Pipelines with Equally Spaced Multiple Out-lets and Outflow, Arif A. Anwar, IR Jan./Feb. 99,

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

### Sprinkler irrigation

Factor G for Pipelines with Equally Spaced Multiple Out-lets and Outflow, Arif A. Anwar, IR Jan./Feb. 99,

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

Sprinkler Head Maintenance Effects on Water Applica-tion Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Adjusted Average Correction Factors for Sprinkler Laterals, Arif A. Anwar, IR Sept./Oct. 00, p296-303.

Sprinkler Head Maintenance Effects on Water Applica-tion Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

### Stilling basins

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, D. V. S. Verma and Arun Goel, IR May/June 00, p179-184.

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

# Stormwater management

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

### Streamheds

Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

Influence of Stream-Wise Bed Slope on Sediment Threshold under Stream Flow, Subhasish Dey and Koustuv Debnath, IR July/Aug. 00, p255-263.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

# Structures

Operational Sensitivity of Irrigation Structures, D. Renault, IR May/June 00, p157-162.

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

### Submerged flow

Discharge Characteristics of Skew Sluice Gates, Prabhata K. Swamee, Santosh K. Pathak, Talib Mansoor and Chandra Shekhar P. Ojha, IR Sept./Oct. 00, p328-334.

# Subsurface drainage

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20.

# Subsurface drains

Improving Efficiency of Desalinization with Subsurface Drainage, E. G. Youngs and P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380.

Supercritical Flow in Bend Manhole, Giuseppe Del Giud-ice, Corrado Gisonni and Willi H. Hager, IR Jan./Feb.

Theoretical End-Depth-Discharge Relationship for Free Overfall, Vito Ferro, IR Jan./Feb. 99, p40-44.

### Surface irrigation

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

# Surface runoff

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Inlet Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Optimal Design of Tapered Microirrigation Submain Manifolds, Ajai Singh, R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374.

# Temperature effects

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, Zohrab Samani, IR July/Aug. 00, p265-267.

Time Series Modeling for Predicting Spatially Variable Infiltration, L. J. Schwankl, N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287.

ite-Element Grid Configurations for Drains, K. C. Tarboton, P.E. and W. W. Wallender, P.E., IR July/Aug. 00, p243-249.

## Transport phenomena

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Solute Transport Modeling in Overland Flow Applied to Fertigation, P. García-Navarro, E. Playán and N. Zapa-ta, IR Jan./Feb. 00, p33-40.

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00, p206-214.

### Trickle irrigation

Factor G for Pipelines with Equally Spaced Multiple Outlets and Outflow, Arif A. Anwar, IR Jan./Feb. 99, p34-38.

Inlet Press let Pressure for Horizontal Tapered Laterals, Arif A. Anwar, IR Jan./Feb. 00, p57-63.

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug. 00. p206-214

Hydraulic Performance of Fish Bypass-Pools for Irriga-tion Diversion Channels, Athanasios N. Papanicolaou and Adam R. Maxwell, IR Sept./Oct. 00, p314-321.

### Two-dimensional flow

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, Vinod Kumar, C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-

### Uniform flow

Design of Minimum Seepage Loss Canal Sections, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R, Chahar, IR Jan./Feb. 00, p28-32.

### Unsaturated flow

Circular Isobaric Cavity in Descending Unsaturated Flow, A. R. Kacimov, IR May/June 00, p172-178.

Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27.

# Unsteady flow

Influence Zone of Recharging-Dewatering Actions in Un-confined Aquifer, R. Revelli and L. Ridolfi, IR Mar./ Apr. 00, p110-112.

Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27.

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug, 00, p223-233.

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, Subhasish Dey, IR July/Aug. 00, p271-274.

Simulating Elevation and Infiltration in Level-Basin Irrigation, N. Zapata and E. Playán, IR Mar./Apr. 00, p78-84.

Street Storm Water Conveyance Capacity, James C. Y. Guo, IR Mar./Apr. 00, p119-123.

# Volume measure

Estimation of Surface Volume in Hydrological Models for Border Irrigation, Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247.

Rate and Volume of Stream Depletion Due to Pumping, Sushil K. Singh, IR Sept./Oct. 00, p336-338.

## Water balance

Border Irrigation Field Experiment. I: Water Balance, Mathew Gilfedder, Luke D. Connell and Russell G, Mein, IR Mar./Apr. 00, p85-91.

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, S. B. Shah and R. J. Edling, IR Jan./Feb. 00, p8-13

Estimating Evaporation from Bare or Nearly Bare Soil, R. L. Snyder, K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403.

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

# Water conservation

Simple Flume for Flow Measurement in Open Channel, Zohrab Samani and Henry Magallanez, IR Mar./Apr. 00. p127-129.

### Water consumption

Simulating Spatially Distributed Water and Salt Balances, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

### Water discharge

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

### Water distribution

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov/Dec. 00, p348-354.

Sprinkler Head Maintenance Effects on Water Applica-tion Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Mi-chael F. Walter and Erin S. Brooks, IR Sept./Oct. 00. p304-313.

### Water flow

Measurement of Subsurface Unsaturated Hydraulic Conductivity, D. F. Holland, M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27.

Simple Approximation for Flowing Well Problem, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

### Water management

Optimal Irrigation Allocation: A Multilevel Approach, Sabu Paul, Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156.

Sprinkler Head Maintenance Effects on Water Applica-tion Uniformity, Michael J. Louie and John S. Selker, IR May/June 00, p142-148.

### Water plans

Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich. Otto J. Helweg, IR May/June 00, p203.

### Water pricing

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

### Water resources management

Water Planning for Food Production in Developing Countries by Phillip Z. Kirpich, Otto J. Helweg, IR May/June 00, p203.

Simulating Spatially Distributed Water and Salt Balanc-es, L. Mateos, C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295.

Water Reuse in Sequential Basin Irrigation, N. Zapata, E. Playán and J. M. Faci, IR Nov./Dec. 00, p362-370.

### Water supply

Benefits of Flexible Irrigation Water Supply, Paul R. Cross, P.E., IR Sept./Oct. 00, p275-278.

# Water supply systems

Irrigation District Service in Western United States, C. M. Burt and S. W. Styles, IR Sept./Oct. 00, p279-282.

Water Distribution Management in Small West African Canal Systems, W. Ray Norman, M. Todd Walter, Mi-chael F. Walter and Erin S. Brooks, IR Sept/Oct. 00, p304-313.

Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233.

Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC. R. Ali, R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242.

Transient Ditch Drainage of Two-Layered Soil, H. C. Sharma, P. N. Kapoor and H. S. Chauhan, JR Jan./Feb. 00, p14-20.

### Water use

Long-Term Evapotranspiration from Coastal Avocado/ Citrus Orchard, Mark E. Grismer, IR Jan./Feb. 00, p1-

Plant Water Use and Crop Curves for Hybrid Poplars, David J. Gochis and Richard H. Cuenca, IR July/Aug.

Supercritical Flow in Bend Manhole, Giuseppe Del Giudice, Corrado Gisonni and Willi H. Hager, IR Jan/Feb. 00, p48-56.

Simultaneous Flow over and Under a Gate, Vito Ferro, IR May/June 00, p190-193.

### Wells

Rate and Volume of Stream Depletion Due to Pumping. Sushil K. Singh, IR Sept./Oct. 00, p336-338.

Simple Approximation for Flowing Well Problem, Pra-bhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p65-67.

Solution for a Stream Depletion Problem, Prabhata K. Swamee, Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00, p125-126.

### Wind forces

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, Yves Le Gat and Bruno Molle, IR Nov./Dec. 00, p343-347.

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, Bruno Molle and Yves Le Gat, IR Nov./Dec. 00, p348-354.

# **AUTHOR INDEX**

Ali, R.
Soil Salinity Modeling Over Shallow Water Table. I: Validation of LEACHC, with R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p223-233
Soil Salinity Modeling Over Shallow Water Table. II: Application of LEACHC, with R. L. Elliott, J. E. Ayars and E. W. Stevens, IR July/Aug. 00, p234-242

Allen, R. G. see Temesgen, B., IR Jan./Feb. 99, p26-33

Anwar, Arif A.

Adjusted Average Correction Factors for Sprinkler La-terals, IR Sept./Oct. 00, p296-303

Correction Factors for Center Pivots with End Guns, IR Mar./Apr. 00, p113-118 Factor G for Pipelines with Equally Spaced Multiple Out-lets and Outflow, IR Jan./Feb. 99, p34-38

disc: Patrick J. Purcell, IR Mar/Apr. 00, p138-139 clo: IR Mar/Apr. 00, p139-140 Inlet Pressure for Horizontal Tapered Laterals, IR Jan/ Feb. 00, p57-63

Ayars, J. E. see Ali, R., IR July/Aug. 00, p223-233 see Ali, R., IR July/Aug. 00, p234-242

Babaeyan-Koopaei, K.
Optimal Design of Parabolic-Bottomed Triangle Canals, with E. M. Valentine and D. C. Swailes, IR Nov./Dec. 00, p408-411

see Snyder, R. L., IR Nov./Dec. 00, p399-403

Barragán, Javier see Monserrat, Joaquín, IR Sept./Oct. 98, p238-247

Brooks, Erin S.
see Norman, W. Ray, IR Sept./Oct. 00, p304-313

Burt, C. M.

Irrigation District Service in Western United States, with S. W. Styles, IR Sept./Oct. 00, p279-282

Burt, Charles M.

ee Plusquellec, Herve, (disc), IR Jan./Feb. 99, p1-6

Carlson, H. L. see Mateos, L., IR Sept./Oct. 00, p288-295

Chahar, Bhagu R.

Chanar, Bhagu K.
see Swamee, Prabhata K., IR Jan./Feb. 00, p28-32
see Swamee, Prabhata K., IR Jan./Feb. 00, p65-67
see Swamee, Prabhata K., IR Jan./Feb. 00, p125-126
see Swamee, Prabhata K., IR Sept./Oct. 00, p322-327

Chauhan, H. S.

see Kumar, Vinod, IR July/Aug. 00, p250-254 see Sharma, H. C., IR Jan./Feb. 00, p14-20

Clemmens, A. J. see Strelkoff, T. S., IR Mar./Apr. 00, p98-109

Connell, Luke D.

see Gilfedder, Mathew, IR Mar./Apr. 00, p85-91 see Gilfedder, Mathew, IR Mar./Apr. 00, p92-97

Cross, Paul R., P.E. Benefits of Flexible Irrigation Water Supply, IR Sept./ Oct. 00, p275-278

Cuenca, Richard H.

see Gochis, David J., IR July/Aug. 00, p206-214

Das. Amlan

Optimal Channel Cross Section with Composite Roughness, IR Jan./Feb. 00, p68-72
Optimization-Based Simulation and Design of Tile Drainage Systems, IR Nov./Dec. 00, p381-388

Debnath, Koustuv

see Dey, Subhasish, IR July/Aug. 00, p255-263

Del Giudice, Giuseppe Supercritical Flow in Bend Manhole, with Corrado Gisonni and Willi H. Hager, IR Jan./Feb. 00, p48-56

Dev. Subhasish

Chebyshev Solution as Aid in Computing GVF by Standard Step Method, IR July/Aug. 00, p271-274
Influence of Stream-Wise Bed Slope on Sediment
Threshold under Stream Flow, with Koustuv Debnath,

Edling, R. J. see Shah, S. B., IR Jan./Feb. 00, p8-13

IR July/Aug. 00, p255-263

Eid, Naglaa

Nitrate Electromigration in Sandy Soil: Closed System Response, with Donald Slack and Dennis Larson, IR Nov./Dec. 00, p389-397

Elliott, R. L.

see Ali, R., IR July/Aug. 00, p223-233 see Ali, R., IR July/Aug. 00, p234-242

Faci. I. M.

see Zapata, N., IR Nov./Dec. 00, p362-370

Faulkner, B. R.

Field-Scale Observations of Arsenic and Boron in Soil Irrigated with Drainwater, with J. C. Guitjens, IR May/ June 00, p186-189

Ferro. Vito

Simultaneous Flow over and Under a Gate, IR May/June 00. p190-193

Theoretical End-Depth-Discharge Relationship for Free Overfall, IR Jan./Feb. 99, p40-44 disc: Michael B. Sonnen, IR Mar./Apr. 00, p133-

clo: IR Mar./Apr. 00, p136-138

García-Navarro, P.

Solute Transport Modeling in Overland Flow Applied to Fertigation, with E. Playán and N. Zapata, IR Jan./Feb. 00, p33-40

Ghidaoui, M. S. A Priori Identifiability of Unsaturated Soil Parameters, with K. S. H. Prasad, IR May/June 00, p163-171

Gilfedder, Mathew

Border Irrigation Field Experiment. I: Water Balance, with Luke D. Connell and Russell G. Mein, IR Mar./ Apr. 00, p85-91

Border Irrigation Field Experiment. II: Salt Transport, with Russell G. Mein and Luke D. Connell, IR Mar./ Apr. 00, p92-97

Gisonni, Corrado

see Del Giudice, Giuseppe, IR Jan./Feb. 00, p48-56

Plant Water Use and Crop Curves for Hybrid Poplars, with Richard H. Cuenca, IR July/Aug. 00, p206-214

see Verma, D. V. S., IR May/June 00, p179-184

Gomez-MacPherson, H. see Snyder, R. L., IR Nov./Dec. 00, p399-403

Grigg, Neil S.

disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6), IR May/June 00, p195-

Grismer, Mark E.

Long-Term Evapotranspiration from Coastal Avocado/ Citrus Orchard, IR Jan./Feb. 00, p1-7

Guitiens, J. C.

Editorial, IR July/Aug. 00, p205 see Faulkner, B. R., IR May/June 00, p186-189

Guitjens, J. C., P.E.

Editorial, IR May/June 00, p141

Guitjens, John C. Journal Needs More New Referees, IR Mar./Apr. 00, p77

Guo, James C. Y.

Street Storm Water Conveyance Capacity, IR Mar./Apr. 00, pl 19-123

Hager, Willi H.

see Del Giudice, Giuseppe, IR Jan./Feb. 00, p48-56

Haman, Dorota Z.

see Kirpich, Phillip Z., 1R Jan./Feb. 99, p1-6

Helweg, Otto J.

Mater Planning for Food Production in Developing Countries by Phillip Z. Kirpich, IR May/June 00, p203 disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan/Feb. 99, p1-6), IR May/June 00, p196-107

Holland, D. F.

Measurement of Subsurface Unsaturated Hydraulic Conductivity, with M. Yitayew and A. W. Warrick, IR Jan./Feb. 00, p21-27

Howell, Terry A.

disc. (of Adjusting Temperature Parameters to Reflect Well-Watered Conditions, by B. Temesgen, R. G. Allen and D. T. Jensen, IR Jan/Feb. 99, p26-33), IR Sept/Oct. 00, p340-342

Istanbullouglu, E.

Istanbunougiu, E. disc. (of Theoretical Justification of SCS Method for Runoff Estimation, by Bofu Yu, IR Nov./Dec. 98, p306-310), IR Jan./Feb. 00, p74-75

Jaiswal, C. S. see Kumar, Vinod, IR July/Aug. 00, p250-254

Jensen, D. T. see Temesgen, B., IR Jan./Feb. 99, p26-33

Kacimov, A. R.

Circular Isobaric Cavity in Descending Unsaturated Flow, IR May/June 00, p172-178

Kapoor, P. N

see Sharma, H. C., IR Jan./Feb. 00, p14-20

Kirpich, Phillip Z.

Problems of Irrigation in Developing Countries, with Dorota Z. Haman and Stuart W. Styles, IR Jan/Feb.

disc: Gabriel J. Tibor, IR May/June 00. p195

disc: Gabriel J. Tibor, IR May/June 00, p195 disc: Neil S. Grigg, IR May/June 00, p195-196 disc: Otto J. Helweg, IR May/June 00, p196-197 disc: Herve Plusquellec and Charles M. Burt, IR May/June 00, p197-199 disc: John L. Merriam, IR May/June 00, p199-201 clo: IR May/June 00, p201-202

Kumar, D. Nagesh

see Paul, Sabu, IR May/June 00, p149-156

Kumar, Vinod

Numerical Solution of 2D Free Surface Flow to Ditch Drains in Anisotropic Soils, with C. S. Jaiswal and H. S. Chauhan, IR July/Aug. 00, p250-254

Larson, Dennis see Eid, Naglaa, IR Nov./Dec. 00, p389-397

Le Gat, Yves

Model of Water Application under Pivot Sprinkler. I: Theoretical Grounds, with Bruno Molle, IR Nov/Dec. 00, p343-347 see Molle, Bruno, IR Nov./Dec. 00, p348-354

Leeds-Harrison, P. B. see Youngs, E. G., IR Nov./Dec. 00, p375-380

Louie, Michael J. Sprinkler Head Maintenance Effects on Water Applica-tion Uniformity, with John S. Selker, IR May/June 00, p142-148

Luthra, S. K. see Tyagi, N. K., IR July/Aug. 00, p215-222

Magallanez, Henry see Samani, Zohrab, IR Mar./Apr. 00, p127-129

Mahar, P. S. see Singh, Ajai, IR Nov./Dec. 00, p371-374

Mansoor, Talib see Swamee, Prabhata K., IR Sept./Oct. 00, p328-334

Mateos, L.

Simulating Spatially Distributed Water and Salt Balances, with C. A. Young, W. W. Wallender and H. L. Carlson, IR Sept./Oct. 00, p288-295

Maxwell, Adam R. see Papanicolaou, Athanasios N., IR Sept./Oct. 00, p314-321

Mein, Russell G.

see Gilfedder, Mathew, IR Mar./Apr. 00, p85-91 see Gilfedder, Mathew, IR Mar./Apr. 00, p92-97

Merriam, John L.

disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6), IR May/June 00, p199-201

Mishra, Govinda C. See Swamee, Prabhata K., IR Jan./Feb. 00, p28-32 see Swamee, Prabhata K., IR Jan./Feb. 00, p65-67 see Swamee, Prabhata K., IR Jan./Feb. 00, p25-126 see Swamee, Prabhata K., IR Sept./Oct. 00, p322-327

Model of Water Application under Pivot Sprinkler. II: Calibration and Results, with Yves Le Gat, IR Nov.J. Dec. 00, p348-354 see Le Gat, Yves, IR Nov./Dec. 00, p343-347

Estimation of Surface Volume in Hydrological Models for Border Irrigation, with Javier Barragán, IR Sept./ Oct. 98, p238-247 Monserrat, Joaquín

disc: John D. Valiantzas, IR Mar./Apr. 00, p131clo: IR Mar /Apr. 00, p133

Norman, W. Ray

Water Distribution Management in Small West African Canal Systems, with M. Todd Walter, Michael F. Wal-ter and Erin S. Brooks, IR Sept./Oct. 00, p304-313

Infiltration of Water into Soil with Cracks, with J. Simunek and M. Th. van Genuchten, IR Jan./Feb. 00,

Ojha, Chandra Shekhar P.

see Swamee, Prabhata K., IR Sept./Oct. 00, p328-334

Panda, Sudhindra Nath

see Paul, Sabu, IR May/June 00, p149-156

Papanicolaou, Athanasios N.

Hydraulic Performance of Fish Bypass-Pools for Irriga-tion Diversion Channels, with Adam R. Maxwell, IR Sept./Oct. 00, p314-321

Pathak, Santosh K.

see Swamee, Prabhata K., IR Sept./Oct. 00, p328-334

Paul, Sabu

Optimal Irrigation Allocation: A Multilevel Approach, with Sudhindra Nath Panda and D. Nagesh Kumar, IR May/June 00, p149-156

Playán, E.

see García-Navarro, P., IR Jan./Feb. 00, p33-40 see Zapata, N., IR Mar./Apr. 00, p78-84 see Zapata, N., IR Nov./Dec. 00, p362-370

Plusquellec, Herve

disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6) with Charles M. Burt, IR May/June 00, p197-199

Prasad, K. S. H.

see Ghidaoui. M. S., IR May/June 00, p163-171

Priestley, Stephen

disc. (of Theoretical Justification of SCS Method for Runoff Estimation, by Bofu Yu, IR Nov./Dec. 98, p306-310), IR Jan./Feb. 00, p75

Purcell, Patrick I.

disc. (of Factor G for Pipelines with Equally Spaced Mul-tiple Outlets and Outflow, by Arif A. Anwar, IR Jan./ Feb. 99, p34-38). IR Mar./Apr. 00, p138-139

Raghuwanshi, N. S.

see Schwankl, L. J., IR Sept./Oct. 00, p283-287 see Schwankl, L. J., IR Nov./Dec. 00, p355-361

Renault, D.

Operational Sensitivity of Irrigation Structures, IR May/ June 00, p157-162

Revelli R.

Influence Zone of Recharging-Dewatering Actions in Un-confined Aquifer, with L. Ridolfi, 1R Mar./Apr. 00, p110-112

Ridolfi, L.

see Revelli, R., IR Mar./Apr. 00, p110-112

Estimating Solar Radiation and Evapotranspiration Using Minimum Climatological Data, IR July/Aug. 00, p265-267

Simple Flume for Flow Measurement in Open Channel, with Henry Magallanez, IR Mar./Apr. 00, p127-129

Schwankl, L. J.

Schwanki, L. J. Furrow Irrigation Performance under Spatially Varying Conditions, with N. S. Raghuwanshi and W. W. Wallender, IR Nov./Dec. 00, p355-361
Time Series Modeling for Predicting Spatially Variable Infiltration, with N. S. Raghuwanshi and W. W. Wallender, IR Sept./Oct. 00, p283-287

Selker, John S.

see Louie, Michael J., IR May/June 00, p142-148

Shah, S. B.

Daily Evapotranspiration Prediction from Louisiana Flooded Rice Field, with R. J. Edling, IR Jan./Feb. 00, p8-13

Sharma, D. K. see Tyagi. N. K., IR July/Aug. 00, p215-222

Sharma, H. C.

Transient Ditch Drainage of Two-Layered Soil, with P. N. Kapoor and H. S. Chauhan, IR Jan./Feb. 00, p14-20

Šimunek, J. see Novák, V., IR Jan./Feb. 00, p41-47

Optimal Design of Tapered Microirrigation Submain Manifolds, with R. P. Singh, P. S. Mahar and K. K. Singh, IR Nov./Dec. 00, p371-374

Singh, K. K. see Singh, Ajai, IR Nov./Dec. 00, p371-374

Singh, R. P. see Singh, Ajai, IR Nov./Dec. 00, p371-374

Singh, Sushil K.

Singn, Sushi K.
Rate and Volume of Stream Depletion Due to Pumping, IR Sept./Oct. 00, p336-338
Simple Method for Confined-Aquifer Parameter Estimation, IR Nov./Dec. 00, p404-407

see Eid, Naglaa, IR Nov./Dec. 00, p389-397

Snyder, R. L.

Estimating Evaporation from Bare or Nearly Bare Soil, with K. Bali, F. Ventura and H. Gomez-MacPherson, IR Nov./Dec. 00, p399-403

disc. (of Theoretical End-Depth-Discharge Relationship for Free Overfall, by Vito Ferro, IR Jan./Feb. 99, p40-44), IR Mar./Apr. 00, p133-136

Stankovic, Miomir

see Trajkovic, Slavisa, IR July/Aug. 00, p268-270

**Stevens, E. W.** see Ali, R., IR July/Aug. 00, p223-233 see Ali, R., IR July/Aug. 00, p234-242

Approximating Wetted Perimeter in Power-Law Cross Section, with A. J. Clemmens, IR Mar./Apr. 00, p98-109

Styles, S. W.

see Burt, C. M., IR Sept./Oct. 00, p279-282

Styles, Stuart W.

see Kirpich, Phillip Z., IR Jan./Feb. 99, p1-6

Swailes, D. C.

see Babaeyan-Koopaei, K., IR Nov./Dec. 00, p408-411

Swamee, Prabhata K.

Omprehensive Design of Minimum Cost Irrigation Canal Sections, with Govinda C. Mishra and Bhagu R. Chahar, IR Sept./Oct. 00, p322-327
Design of Minimum Seepage Loss Canal Sections, with Govinda C. Mishra and Bhagu R. Chahar, IR Jan./Feb. 00, p28-32

Ob. p.26-32 Discharge Characteristics of Skew Sluice Gates, with Santosh K. Pathak, Talib Mansoor and Chandra She-khar P. Ojha, IR Sept./Oct. 00, p328-334 Simple Approximation for Flowing Well Problem, with Govinda C. Mishra and Bhagu R. Chahar, IR Jan/Feb. 00, p856-7.

00, p65-67

Solution for a Stream Depletion Problem, with Govinda C. Mishra and Bhagu R. Chahar, IR Mar./Apr. 00,

Tarboton, K. C., P.E.

Finite-Element Grid Configurations for Drains, with W. W. Wallender, P.E., IR July/Aug. 00, p243-249

Adjusting Temperature Parameters to Reflect Well-Watered Conditions, with R. G. Allen and D. T. Jensen, IR Jan/Feb. 99, p26-33 dise: Terry A. Howell, IR Sept/Oct. 00, p340-342

Tibor, Gabriel J.

disc. (of Problems of Irrigation in Developing Countries, by Phillip Z. Kirpich, Dorota Z. Haman and Stuart W. Styles, IR Jan./Feb. 99, p1-6), IR May/June 00, p195

Todorovic, Branimir

see Trajkovic, Slavisa, IR July/Aug. 00, p268-270

Trajkovic, Slavisa

Estimation of FAO Blaney-Criddle *b* Factor by RBF Network, with Miomir Stankovic and Branimir Todorovic, IR July/Aug. 00, p268-270

Tyagi, N. K.

Evapotranspiration and Crop Coefficients of Wheat and Sorghum Climate in India, with D. K. Sharma and S. K. Luthra, IR July/Aug. 00, p215-222

Valentine, E. M.

see Babaeyan-Koopaei, K., IR Nov/Dec. 00, p408-411

Valiantzas, John D.

disc, tof Estimation of Surface Volume in Hydrological Models for Border Irrigation, by Joaquín Monserrat and Javier Barragán, IR Sept./Oct. 98, p238-247), IR Mar./Apr. 00, p131-133

van Genuchten, M. Th. see Novák, V., IR Jan./Feb. 00, p41-47

Ventura, F. see Snyder, R. L., IR Nov./Dec. 00, p399-403

Verma, D. V. S.

Stilling Basins for Pipe Outlets Using Wedge-Shaped Splitter Block, with Arun Goel, IR May/June 00, p179-184

Wallender, W. W.
see Mateos, L., IR Sept./Oct. 00, p288-295
see Schwankl, L. J., IR Sept./Oct. 00, p283-287
see Schwankl, L. J., IR Nov./Dec. 00, p355-361

Wallender, W. W., P.E. see Tarboton, K. C., P.E., IR July/Aug. 00, p243-249

Walter, M. Todd

see Norman, W. Ray, IR Sept./Oct. 00, p304-313

Walter, Michael F. see Norman, W. Ray, IR Sept./Oct. 00, p304-313

Warrick, A. W. see Holland, D. F., IR Jan./Feb. 00, p21-27

Yitayew, M. see Holland, D. F., IR Jan./Feb. 00, p21-27

Young, C. A. see Mateos, L., IR Sept./Oct. 00, p288-295

Youngs, E. G. Improving Efficiency of Desalinization with Subsurface Drainage, with P. B. Leeds-Harrison, IR Nov./Dec. 00, p375-380

The Boru
Theoretical Justification of SCS Method for Runoff Estimation, IR Nov./Dec. 98, p306-310
disc: E. Istanbullouglu, IR Jan./Feb. 00, p74-75
disc: Stephen Priextley, IR Jan./Feb. 00, p75

clo: IR Jan./Feb. 00, p76

Zapata, N.
Simulating Elevation and Infiltration in Level-Basin Irrigation, with E. Playán, IR Mar/Apr. 00, p78-84
Water Reuse in Sequential Basin Irrigation, with E.
Playán ad J. M. Faci, IR Nov./Dec. 00, p362-370
see García-Navarro, P., IR Jan./Feb. 00, p33-40

